

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 10mg

Tested for: QUALITY PEPTIDE USA

PASS

COA #: COA-2026-954769
Lot Number: QPUSACJCIPA-0021
Accession #: ACC-2026-11960
Labeled Content: 10mg

Analysis Date: 07/31/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 07/22/2026



Scan to verify
authenticity at ils-lab.com
Access Code: 2VNCVS8X

Method: Full QC Panel

Identity

CJC-1295 / Ipamorelin

Peptide Purity

99.75%




Fentanyl
Free

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.75%	%	PASS
Net Blend Peptide Content	Report Only	10.71	mg	N/A
-- CJC-1295		5.25	mg	
-- Ipamorelin		5.46	mg	
Identity (HPLC-RTM)	CJC-1295 + IPAMORELIN	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



CJC-1295 / Ipamorelin 10mg - QPUSACJCIPA-0021: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	0.1826	PASS
Cadmium (Cd)	NMT 0.5 ppm	0.088	PASS
Lead (Pb)	NMT 1 ppm	0.0641	PASS
Mercury (Hg)	NMT 1.5 ppm	0.2137	PASS
Chromium (Cr)	NMT 10 ppm	0.47	PASS



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: COA-2026-954769
Access Code: 2VNCVS8X
Verify: <portal.ils-lab.com/verify/54U1buyvXYB9f2j9>
Issued: 7/31/2026

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	NMT 0.05 EU/mL	NMT 0.05 EU/mL	PASS

Acceptance criteria: NMT 0.05 EU/mL per client specification.

Notes & Methodology

1. Date Tested: 08/03/2026. Methods: Full QC Panel.
2. The sample was confirmed to be CJC-1295 / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (CJC-1295, Ipamorelin). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.




Dr. Greg Kalyuzhny
Lab Director
7/31/2026

COA #: **COA-2026-954769**
Access Code: **2VNCVS8X**
Verify: <portal.ils-lab.com/verify/54U1buyvXYB9f2j9>
Issued: 7/31/2026